

#### PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

# FOR CONTROL OF INSECT PESTS IN NURSERY STOCK (NON-FOOD), CUT FLOWERS AND ORNAMENTALS

#### PERMIT NUMBER - PER86931

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agricultural and Veterinary Chemicals Code, scheduled to the *Agricultural and Veterinary Chemicals Code Act 1994* (the Agvet Code) of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM: 23 JANUARY 2019 to 31 JANUARY 2024

## **Permit Holder:**

NURSERY AND GARDEN INDUSTRY AUSTRALIA c/- AgAware Consulting Pty Ltd 21 Rosella Avenue STRATHFIELDSAYE VIC 3551

### Persons who can use the product under this permit:

Persons generally

#### **CONDITIONS OF USE**

#### **Product to be used:**

CORMORAN INSECTICIDE [APVMA No. 70152]

Containing: 80 g/L ACETAMIPRID and 100 g/L NOVALURON as the only active constituent.

#### **Directions for Use:**

#### **Restraints:**

DO NOT use on herb seedling crops.

DO NOT use on fruit trees that will bear fruit within 12 months of treatment.

Situation	Target Insect Pests	Rate
Nursery stock (non-food and non-bearing fruit trees) Including seedlings and plugs, potted colour trees and shrubs, foliage plants, palms, grasses, and fruit trees (non-bearing) Cut flowers and ornamentals	Aphids, Bugs ( <i>Hemiptera spp.</i> ), Leafhoppers, Lepidoptera larvae, Mealybugs, Psyllids, Scale, Thrips	70 mL/100 L water

#### **Critical Use Comments:**

- Monitor crops and apply at first signs of infestation.
- Apply a maximum two (2) treatments per crop, with minimum 14 day re-treatment interval.
- Apply using sufficient water volume to ensure thorough coverage of all plant surfaces.
- Apply using calibrated air-blast sprayer, air-shear sprayer, boom sprayer, back-pack mister, hand-lance or equivalent equipment.
- DO NOT apply while bees are actively foraging in or around the treatment area. Residues may remain at levels toxic to bees for several days following application.

#### **Jurisdiction:**

ALL STATES except VIC.

Note: Victoria is not included in this permit as their *Control-of-Use* legislation means that an APVMA permit is not required to legalise this off-label use in that state.

#### **Additional Conditions:**

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

## Safety Directions – use within protected cropping situations

There is a risk of increased exposure to fine mist spray during application of the diluent within protected cropping situations (e.g. greenhouses, glasshouses and plastic tunnels). It is recommended that the following additional PPE be observed in addition to label directions when applying a foliar spray treatment within enclosed situations:

When using the dilute product, wear cotton overalls buttoned to the neck and wrist, chemical resistant gloves, protective face shield or goggles and disposable (mist) mask. Protective clothing should also be worn when re-entering the treated area prior to the spray drying. Wash hands after use. After each day's use, wash contaminated clothing, gloves and face shield/goggles.

#### To Avoid Crop Damage

Nursery stock is not known to be sensitive to *Cormoran Insecticide* when used in accordance with the application rate, conditions of use and other cautionary statements listed on this permit and the product label. However, the large number of disparate crop lines produced in commercial nurseries means that the insecticide product has not been fully evaluated for crop safety on all species, or in all situations where treatment may be undertaken. Users must treat a sample number of plants or a small area and closely monitor plant health and any phytotoxic effects that will compromise production goals prior to whole crop treatment. Discontinue applications when any adverse symptoms post-treatment are observed.

Issued by the Australian Pesticides and Veterinary Medicines Authority

PER86931 Permit Version 1 Page 3 of 3