

PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL PRODUCT FOR CONTROL OF HELIOTHIS, SILVERLEAF WHITEFLY AND GREEN MIRID IN NURSERY STOCK (NON-FOOD), CUT FLOWERS AND ORNAMENTALS

PERMIT NUMBER – PER87445

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 22 FEBRUARY 2021 TO 29 FEBRUARY 2024

Permit Holder:

GREENLIFE INDUSTRY AUSTRALIA LTD c/o AGAWARE CONSULTING PTY LTD 21 Rosella Avenue STRATHFIELDSAYE VIC 3551

Persons who can use the product under this permit:

Persons generally.

PER87445 Version 1 Page 1 of 3

CONDITIONS OF USE

Products to be used:

SERO-X PESTICIDE (APVMA No. 81070)

Containing: 400 g/L CLITORIA TERNATEA EXTRACT as the only active constituent.

RESTRAINT:

Comply with the label Spray Drift Restraints and Mandatory No-spray Zones.

Directions for Use:

Situation	Pest	Rate
Nursery stock (non-food) –	Heliothis	2 L/ha
seedlings, tubes and plugs, potted colour, trees and	(Helicoverpa spp.)	or
shrubs, foliage plants, palms and grasses, and fruiting plants (non-bearing)	Silverleaf Whitefly (Bemisia tabaci)	200 mL/100 L
Cut flowers Ornamentals	Green Mirid (Creontiades dilutus)	

Critical Use Comments:

Heliothis:

- Monitor the crop and apply a foliar spray when pests are first observed. Time the applications
 to coincide with egg hatch and when larvae are up to 5 mm in length. Repeat applications as
 necessary.
- Use in conjunction with an Integrated Pest Management (IPM) program.
- Apply by air-blast sprayer, air-shear sprayer, back-pack mister, hand lance sprayer, spray boom or equivalent.
- Thorough coverage is essential. Apply as a high volume application ensuring all foliage is treated.
- DO NOT apply more than 5 applications per crop.
- DO NOT apply less than 7 days after the initial treatment.

Silverleaf Whitefly and Green Mirid:

- Monitor the crop and apply a foliar spray when pests are first observed. Repeat applications as necessary.
- Use in conjunction with an Integrated Pest Management (IPM) program.
- Apply by air-blast sprayer, air-shear sprayer, back-pack mister, hand lance sprayer, spray boom or equivalent.
- Thorough coverage is essential. Apply as a high volume application ensuring all foliage is treated.
- DO NOT apply more than 5 applications per crop.
- DO NOT apply less than 14 20 days after the initial treatment.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

To Avoid Crop Damage

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Issued by the Australian Pesticides and Veterinary Medicines Authority

PER87445 Version 1 Page 3 of 3